## **Table of Contents**

Acknowledgments
EXECUTIVE SUMMARYiii
RESOURCES IN THE FLORIDA BAY TRANSITION ZONEiii
DATA ANALYSIS AND OCCURRENCES OF resource impactsiv
RECOVERY AND PREVENTION STRATEGIESv
CONCLUSIONSv
TECHNICAL SUMMARYvii
APPROACHvii
RESOURCES ALONG THE GRADIENTviii
DETERMINING EFFECTS OF SALINITY ON FLORIDA BAY RESOURCESix
FINDINGS RELEVANT TO SELECTING MFL CRITERIAx
OCCURRENCES OF RESOURCE IMPACTSxi
FLOWS AND WATER LEVELS DURING PERIODS WHEN RESOURCE IMPACTS OCCURxii
RECOVERY AND PREVENTION STRATEGIESxii
CONCLUSIONSxii
Table of Contentsxv
Document Structurexix
List of Tablesxxi
List of Figuresxxiii
List of Appendicesxxvii
Acronyms and Abbreviationsxxix

CHAPTER 1: INTRODUCTION	1
BACKGROUND	1
PROCESS AND BASES FOR ESTABLISHMENT OF MINIMUM FL	
LEVELS	
Process Steps and ActivitiesLegal and Policy Bases for Establishment of Minimum Flows and	
MFL RECOVERY AND PREVENTION STRATEGY	
WIFL RECOVERY AND PREVENTION STRATEGY	/
CHAPTER 2: DESCRIPTION OF THE WATER BODY	9
INTRODUCTION	9
MAJOR HYDROLOGIC UNITS OF FLORIDA BAY AND ADJACEN	
AREASSouthern Everglades	
C-111 Canal Basin	
Taylor Slough Basin	
Long Pine Basin	14
Shark River Slough Basin	
Northern Transition Zone	16
Eastern Zone	
Central Zone	
Atlantic Transition Zone	
Western Zone and Gulf Transition Zone	20
GEOLOGY AND SEDIMENTS OF FLORIDA BAY	
Geologic Setting	
Surface Sediments and Soils	
Florida Bay Bottom Types	
Major Aquifer SystemsSaltwater Intrusion	
Tidal Features	
LAND USE	27
HYDROLOGY	30
Climate, Seasonal Weather Patterns and Rainfall	30
Historical Hydrology	31
South Florida Water Management Model	
Natural System Model	
Florida Bay Water Budget	37
SALINITY AND WATER QUALITY RELATIONSHIPS	
Florida Bay Salinity Patterns	
Paleoecologic Record Water Quality Trends	
BIOLOGICAL RESOURCES	49

	Major Plant Communities	49
	Major Animal Communities	57
	Ecological Relationships and Conceptual Models	
	Endangered and Threatened Species	
СН	IAPTER 3: RESOURCE FUNCTIONS AND CONSIDERATIONS	69
<b>O</b>	AT TER O. RESCONCE I GROTIONS AND GONOIDERATIONS	
	INTRODUCTION	69
	WATER RESOURCE FUNCTIONS AND CONSIDERATIONS	60
	Florida Bay	
	Watershed	
	vvalersneu	
	ALTERATIONS	72
	Hydrologic Changes	
	Water Quality and Biological Changes	
	·	
	SUMMARY AND CONCLUSIONS	73
СН	IAPTER 4: RELATIONSHIPS THAT PROVIDE THE BASIS FOR DEFINING	
	PACTS TO WATER RESOURCES	75
	BACKGROUND AND SCOPE	75
	TECHNICAL METHODS AND DATA USED TO DEVELOP FLOW AND WA	
	LEVEL RELATIONSHIPS FOR THE MFL	
	Methods Considered	
	Proposed Approach	78
	HYDROLOGIC ANALYSES	01
	Mass-Balance Hydrologic Model (FATHOM)	
	Everglades–Florida Bay Transition Zone Salinity Model	
	Everglades—Florida Bay Transition Zone Salinity Woder	
	<b>ESTIMATING ECOLOGICAL EFFECTS OF WATER LEVELS AND FLOWS</b>	FOR
	MFL DEVELOPMENT	
	Everglades-Florida Bay Transition Zone and Its Submerged Aquatic Veg	etation
		93
	Northeastern Florida Bay and Its Submerged Aquatic Vegetation	107
СН	IAPTER 5: APPLICATION TO DEVELOPMENT OF A FLORIDA BAY MFL	131
	SUMMARY OF TECHNICAL RELATIONSHIPS ANALYSES	131
	Summary of Hydrologic Analyses	
	Summary of Ecological Analyses	
	, , ,	
	IDENTIFICATION OF FRESHWATER INFLOW-RESOURCE IMPACT	
	RELATIONSHIPS	
	Key Findings	
	Historic Occurrences of Resource Impacts	134

CONCLUSIONS AND RECOMMENDATIONS FOR FUTURE WORK	144
Conclusions	144
Recommendations for Future Work	145
LITERATURE CITED	147

#### **Document Structure**

The present report is organized into a framework of six chapters, as follows:

- Chapter 1 serves as an introduction to the document.
- Chapter 2 describes the geographic setting, the resources at risk and the major issues concerning the use and conservation of resources within Florida Bay and its watershed.
- Chapter 3 describes resource functions, considerations and exclusions for Florida Bay.
- Chapter 4 documents the methods used to assess impacts for the different areas, resources and functions, and it describes the results of associated analyses.
- Chapter 5 outlines the specific hydrologic information developed to indicate the degree of resource impact that occurs, and it provides an analysis of the specific relevant factors and implications of salinity-flow relationships. Needs for future monitoring, research and modeling are also described.

Appendices A through J, under separate cover, include technical information such as legal documents related to Minimum Flows and levels and Florida Bay Resources, descriptions and analyses of methods and tools, supplemental data and analyses, and associated literature citations. Additional appendices of supplemental information are anticipated as necessary to support this plan through administrative rulemaking, including results of the peer review and related correspondence, additional laws and rules, and descriptions of other MFL-related activities in the watershed.

## **List of Tables**

Table 1.	Florida Bay Watershed Land Use.	. 29
Table 2.	Water Management Activities Affecting Florida Bay, 1960–2000	. 34
Table 3.	Salinity Statistics 1991–2002 for Florida Bay Coastal Water Quality Monitoring Stations.	. 44
Table 4.	Median Values of Water Quality Parameters of Water Collected from Florida Bay "Zones of Similar Influence"	. 46
Table 5.	Commercially and Recreationally Important Aquatic Fauna Using Florida Bay as a Nursery Ground	
Table 6.	Common Fishes Found within Mangrove Prop Roots Habitats of Northeastern Florida Bay.	. 61
Table 7.	Ten Most Common Euryhaline Fishes Found within the Transition Zone, Northeastern Florida Bay	. 61
Table 8.	Threatened and Endangered Species Found within the Florida Bay Watershed	65
Table 9.	Representative Drought Years	. 85
Table 10.	Summary of Uncertainty Statistics for the Monthly Taylor River MLR Salinity Model.	. 91
Table 11.	Regression Equations Used to Calculate 30-Day Average Salinity Values in the Transition Zone.	104
Table 12.	Salinity Predictions of Taylor River MLR Model and of FATHOM Model during Periods of Salinity Stress.	140

# **List of Figures**

Figure 1.	Location and Major Features of Florida Bay	2
Figure 2.	Conceptual Relationships among the Terms Harm, Significant Harm and Serious Harm.	5
Figure 3.	Florida Bay Zones)	9
Figure 4.	C-111 Basin, Taylor Slough Basin, Long Pine Basin, Shark River Slough Basin and Boundaries of Everglades National Park (ENP)	11
Figure 5.	C-111 Canal and South Dade Conveyance System	13
Figure 6.	Detail of the Eastern Portion of the Northern Transition Zone Showing Coastal Bays that Receive Water from Taylor Slough	16
Figure 7.	General Locations and Features of the Central and Western Zones in Florida Bay.	19
Figure 8.	Cross Section of Sediments over Bedrock: Florida Bay to ENP.	22
Figure 9.	Map of Bottom Types in Florida Bay	23
Figure 10.	General Cross Section of Major Aquifer Systems in Miami-Dade County	24
Figure 11.	Location of the Biscayne Aquifer in Eastern Miami-Dade, Broward and Palm Beach Counties with a) Average Aquifer Depth and b) Elevation of the Surface of the Aquifer (contour lines are feet NGVD).	25
Figure 12.	Composite of 1995–2000 Florida Bay Watershed Land Cover (FLUCCS, Level 2)	26
Figure 13.	Freshwater Discharge into the Taylor Slough/C-111 Basins	35
Figure 14.	Wetland Water Budget Components for the Period February 1996 through September 2000	38
Figure 15.	Zones of Similar Water Quality in Florida Bay).	41
Figure 16.	Monthly Median and Range of Salinity (psu) in Three Florida Bay Zones	42
Figure 17.	Distribution of Average Salinity Levels within Florida Bay from June 1989 to August 1990.	43
Figure 18.	Average Total Phosphorus (TP) Concentrations in Florida Bay, 1996–1998	47
Figure 19.	Average Dissolved Inorganic Nitrogen Concentrations in Florida Bay, 1991–1999	48
Figure 20.	Colorized Infrared Satellite Image of Northeastern Florida Bays.	55
Figure 21.	LANDSTAT-7 Extended Thematic Mapper Image of Florida Bay	76
Figure 22.	Location of Gauged Inflow to Northeastern and Central Florida Bay	76
Figure 23.	Map of the Everglades–Florida Bay Transition Zone and Northeastern Florida Bay.	79
Figure 24.	Wetland Basins Used in the Hydrologic Analyses	82
Figure 25.	Annual Overland Inflow to Northeastern Florida Bay, 1970–2000	83
Figure 26.	Ranking of Normal, Wet and Dry Years	84
Figure 27.	Simplified Water Budget for Northeast and Central Florida Bay.	86
Figure 28.	Average Water Budget, 1970–2000	87

Figure 29.	Regions of Inflow Sensitivity.	88
Figure 30.	Time Series for Selected Florida Bay Basins, Showing FATHOM Predictions and Observed Values	89
Figure 31.	Predicted and Observed Average Monthly Salinity at the Taylor River (TR) Site	91
Figure 32.	Satellite Image of the Salinity Transition Zone near Taylor River	94
Figure 33.	Salinity's Effect on Ruppia maritima Seed Germination	102
Figure 34.	Ruppia maritima Cover in Relation to Corresponding Instantaneous Salinity in the Everglades–Florida Bay Transition Zone	103
Figure 35.	Ruppia maritima Cover in Relation to Corresponding 30-Day Average Salinity in the Transition Zone	103
Figure 36.	Chara (Muskgrass) Cover in Relation to Instantaneous Salinity in the Transition Zone.	105
Figure 37.	Najas (Waternymph) Cover in Relation to Instantaneous Salinity in the Transition Zone.	106
Figure 38.	Utricularia (Bladderwort) Cover in Relation to Instantaneous Salinity in the Transition Zone.	106
Figure 39.	Changes in Florida Bay SAV Cover 1995–2003	110
Figure 40.	Density of <i>Halodule</i> and <i>Thalassia</i> Shoots in Relation to Salinity in Northeastern Florida Bay	112
Figure 41.	Density of <i>Thalassia</i> and <i>Halodule</i> shoots in relation to water depth in northeaster Florida Bay	
Figure 42.	Calibration of SAV Biomass for Dual Species Seagrass Model for <i>Halodule</i> and <i>Thalassia</i> in the SAV model	116
Figure 43.	SAV model results from five-year simulations of elevated salinity in northeastern Florida Bayf.	117
Figure 44.	Seagrass Model Results from 1970–2002 Historic Reconstruction	119
Figure 45.	Measured Biomass of <i>Halodule</i> and <i>Thalassia</i> at the Little Madeira Site near the Mouth of Taylor River	120
Figure 46.	Seagrass Model Simulation of <i>Halodule</i> Biomass in Relation to Salinity from a 33-Year Historical Reconstruction.	122
Figure 47.	Statistical Model of Higher-Trophic-Level Species' Biomass as a Function of Salinity in Florida Bay	124
Figure 48.	Summary of Results from Statistical Models for Twenty Florida Bay Fish and Invertebrate Species.	125
Figure 49.	Salinity and SAV Habitat Inputs to the Higher-Trophic-Level Statistical Model, to Test Direct and Indirect Effects of Salinity Change on Animal Species	126
Figure 50.	Results from Higher-Trophic-Level Statistical Models of an Assemblage of Fourteen Species.	128
Figure 51.	Results from Higher-Trophic-Level Statistical Models of an Assemblage of Fourteen Species.	129
Figure 52.	Historical Reconstruction for Salinity Time Series at the Taylor River Site	135

Figure 53.	Daily Stage Values in the Southern Everglades over the Historical Reconstruction Period	
Figure 54.	Monthly Salinity Conditions within the Florida Bay portion of the Everglades–Florida Bay gradient	137
Figure 55.	Time Series of Monthly Values of Simulated Turnover Times (Days) for Nine Selected FATHOM Basins.	139
Figure 56.	Consistency between Salinity Time Series by the MLR Model	141
Figure 57.	Inflows to Northeast Florida Bay	142
Figure 58.	Inflows to Little Madeira Bay	143
Figure 59.	Impact of Dry-Season Flows on Salinity Stress in the Transition Zone	144

## **List of Appendices**

Appendices A through J, under separate cover, include technical information such as descriptions and analyses of methods and tools, supplemental data and analyses, and associated literature citations. Additional appendices of supplemental information are anticipated as necessary to support this plan through administrative rulemaking, including results of the peer review and related correspondence, laws and rules, and other MFL-related activities in the watershed.

Appendix A	Selected passages from the Florida Statutes and Florida Administrative Code
Appendix B	The Use of Conceptual Ecological Models to Guide Ecosystem Restoration in South Florida (Ogden 2005)
	A Conceptual Ecological Model of Florida Bay (Rudnick 2005)
	A Conceptual Model of Ecological Interactions in the Mangrove Estuaries of the Florida Everglades (Davis 2005)
Appendix C	Final Report Fathom Enhancements and Implementation to Support Development of Minimum Flows and Levels for Florida Bay (Marshall 2005)
Appendix D	Correspondence regarding the historical reconstruction of the salinity time series for Taylor River for the period 1970 – 2000.
	Interagency Modeling Center's report on Statistical Model
Appendix E	Influence of net freshwater supply on salinity in Florida Bay (Nuttle 2000)
Appendix F	Excerpt from Appendix C: Methodology to determine flows to Florida Bay
Appendix G	Description, Features and Assumptions used in 2000 Base, 2050 Base, CERP1, and NSM Model Runs
Appendix H	Correspondence regarding monthly salinity simulations for Taylor River Interim CERP Update Runs
Appendix I	Sea grass model documentation and uncertainty analysis
Appendix J	Statistical Models of Florida Bay Fishes and Crustaceans to Evaluate Minimum Flows and Levels in Florida Bay

### **Acronyms and Abbreviations**

ac-ft acre-feet

**C&SF Project** Central and Southern Florida Flood Control Project

**CERP** Comprehensive Everglades Restoration Plan

**cfs** cubic feet per second

**CUP** consumptive use permitting

**DBHYDRO** District's hydrometeorologic database

**DERM** Miami–Dade County Department of Environmental Resource

Management

**Df** degrees of freedom (statistical term)

**District** South Florida Water Management District

**ENP** Everglades National Park

**ET** evapotranspiration

**F.A.C.** Florida Administrative Code

**FATHOM** Flux-Accounting Tidal Hydrology Ocean Model -

**FB/FKFS** Florida Bay/Florida Keys Feasibility Study

**FDEP** Florida Department of Environmental Protection

FIU Florida International University

**FKNMS** Florida Keys National Marine Sanctuary

**F.S.** Florida Statutes

**FWC** Florida Fish and Wildlife Conservation Commission

**g** grams

**g dw** grams dry weight

**GUI** graphical user interface

**GUIDE** graphical user interface development environment

MAP Monitoring and Assessment Plan

**MFL** Minimum Flow and Level

mgdmillion gallons per dayMLLWmean lower low water

**msl** mean sea level

**NGVD** National Geodetic Vertical Datum

**NSM** Natural System Model

**OFW** Outstanding Florida Water

**ppt** parts per thousand

**psu** practical salinity units

**PWS** public water supply

QA/QC quality assurance/quality control
QAPP Quality Assurance Project Plan

**RECOVER** Restoration Coordination and Verification

**RSMAS** Rosenstiel School of Marine and Atmospheric Science

**SAV** submerged aquatic vegetation

**SDCS** South Dade Conveyance System

**SFWMD** South Florida Water Management District

**SFWMM** South Florida Water Management Model

**SWIM** Surface Water Improvement and Management

**TMDL** Total Maximum Daily Load

**USACE** U.S. Army Corps of Engineers

**USEPA** U.S. Environmental Protection Agency

**USFWS** U.S. Fish and Wildlife Service

**USGS** U.S. Geological Survey

**VEC** valued ecosystem component

WCA Water Conservation Area

**WMD** water management district